

Cabasse



Since 1950



WIRELESS HI-FI



HI-FI



HOME THEATER



CUSTOM INSTALLATION

A FRENCH COMPANY





Cabasse Acoustic Center

À propos de Cabasse

Depuis 1950, Cabasse incarne l'excellence française de l'audio haute-fidélité de luxe. Née de la passion de Georges Cabasse, la Maison Cabasse poursuit une quête sans compromis : restituer chaque note et chaque nuance avec une pureté absolue, sans altération ni distorsion.

Face à la mer d'Iroise, en Bretagne, notre Centre de Recherche et nos ateliers donnent vie à des créations uniques, alliant tradition artisanale et innovation technologique. Chaque enceinte est pensée, conçue et produite pour offrir un son d'exception. Chez Cabasse, le savoir-faire s'exprime dans chaque détail :

Acoustique visionnaire :

pionnière du haut-parleur coaxial, la Maison présente un son unique développant depuis plus de 75 ans ses propres équipages, et créant des systèmes aux performances exceptionnelles.

Technologies de pointe :

optimisation acoustique, amplification, calibrage, toutes nos innovations garantissent une expérience sonore précise et émotionnelle.

Connectivité intuitive :

grâce à notre application développée en interne, StreamCONTROL, nos systèmes sans fil, évolutifs, offrent une liberté totale : Haute Résolution, AirPlay, multiroom, multi-sources, roon...

Élégance et design :

chaque enceinte associe esthétique et performances, sublimant le son autant que l'espace où elle trouve place.

Retrouvez une sélection pointue et complète : Enceintes HiFi classiques, systèmes HiFi sans fil, Home Cinéma ou Intégration, Entrez dans l'univers Cabasse ...

About Cabasse

Since 1950, Cabasse has embodied French excellence in luxury high-fidelity audio. Born from the passion of Georges Cabasse, the company pursues an uncompromising quest: to reproduce every note and every nuance with absolute purity, free from alteration or distortion.

Overlooking the Iroise Sea in Brittany, our Research Centre and workshops bring unique creations to life, blending traditional craftsmanship with cutting-edge technological innovation. Each speaker is designed, engineered, and crafted to deliver exceptional sound.

At Cabasse, expertise is expressed in every detail:

Visionary acoustics:

a pioneer in coaxial loudspeakers, the company offers unique sound, having developed its own equipment for over 75 years and created systems with exceptional performance.

Cutting-edge technologies:

From acoustic optimization to amplification and calibration, all our innovations ensure a sound experience that is both precise and emotionally engaging.

Intuitive connectivity:

Thanks to our in-house developed StreamCONTROL app, our wireless, scalable systems offer total freedom—supporting High Resolution, AirPlay, multiroom, multi-source, Roon Ready, and more.

Elegance and design:

Each speaker blends aesthetics and performance, enriching both the sound and the environment in which it is placed.

Explore our carefully curated and comprehensive range—classic Hi-Fi speakers, wireless Hi-Fi systems, home cinema, and integrated solutions. Step into the world of Cabasse...



«CHEF D'OEUVRE ACOUSTIQUE»

LA SPHERE

4 VOIES | 4 WAYS

AUDIO

Maximum sound level:

Low frequency (bass): 119 dB SPL (100Hz)

Low midrange: 114 dB SPL

High midrange: 108 dB SPL

High frequency (treble): 103 dB SPL

SPEAKERS | DRIVERS

Tri-Coaxial: TCA x1

Woofer: 1 x 55ND

RÉPONSE EN FRÉQUENCE | FREQUENCY RESPONSE (-6dB):

Low frequency (bass): 16 Hz to 165 Hz

Low midrange: 165 Hz to 800 Hz

High midrange: 800 Hz to 3000 Hz

High frequency (treble): 3000 Hz to 27,000 Hz

AMPLIFICATION POWER

Cabasse BCRev600 x 8

Woofer: 2x 600 W RMS at 4 Ohms / 0.1% THD+Noise

Low midrange: 2x 600 W RMS at 4 Ohms / 0.1% THD+Noise

High midrange: 2x 600 W RMS at 4 Ohms / 0.1% THD+Noise

Treble: 2x 600 W RMS at 4 Ohms / 0.1% THD+Noise

DIMENSIONS & WEIGHT

Dimensions (H x W x D): 140 x 70 x 70 cm

Total weight: 98 kg



WIRELESS MASTERPIECE

LA SPHERE EVO

4 VOIES | 4 WAYS

AUDIO

Maximum sound level:

Low frequency (bass): 121 dB SPL (100Hz)

Low midrange: 122 dB SPL

High midrange: 121 dB SPL

High frequency (treble): 117 dB SPL

SPEAKERS | DRIVERS

Tri-Coaxial: TCA x1

Woofer: 2 x 30HELD

RÉPONSE EN FRÉQUENCE | FREQUENCY RESPONSE (-6dB):

Low frequency (bass): 10 Hz to 170 Hz

Low midrange: 170 Hz to 900 Hz

High midrange: 900 Hz to 3400 Hz

High frequency (treble): 3400 Hz to 27,000 Hz

AMPLIFICATION POWER

Woofer 1: 1200 W RMS at 4 Ohms / 0.1% THD+Noise

Woofer 2: 1200 W RMS at 4 Ohms / 0.1% THD+Noise

Low midrange: 1200 W RMS at 4 Ohms / 0.1% THD+Noise

High midrange: 1200 W RMS at 4 Ohms / 0.1% THD+Noise

Treble: 300 W RMS at 4 Ohms / 0.1% THD+Noise

DIMENSIONS & WEIGHT

Dimensions (H x W x D): 134.2 x 62 x 62 cm

Total weight: 60 kg

BIBLIOTHÈQUES | BOOKSHELVES



MURANO

3-Voies
Medium-Tweeter coaxial BC13
Grave | Woofer 1 x 17 cm 17ND36
Nid d'abeille | Honeycomb membrane
48 - 24 000 Hz
87 dB | 150 W
38,5 x 24,8 x 30 cm 14 kg




MINORCA MC40

3 Voies | Ways
Medium-Tweeter coaxial
BC10
Grave | Woofer 1 x 17 cm
17MD18LB1 Duocell
65 - 23 000 Hz
89 dB | 75 W
40 x 23 x 28 cm 8,5 kg



ANTIGUA MC170

3 Voies | Ways
Medium-Tweeter coaxial
2-voies 10T15MC
Grave | Woofer 1x17cm 17NT20 P2C
60 - 20 000 Hz
88 dB | 75 W
40 x 23 x 30 cm 9 kg



COLONNES | FLOORSTANDING SPEAKERS



MURANO ALTO

3 Voies | Ways
Medium-Tweeter coaxial BC13
Grave | Woofer 2 x 17 cm
17ND36
Nid d'abeille | Honeycomb
32/38 - 24 000 Hz
89 dB | 175 W

102,6 x 27,5 x 37,5 cm
28 kg



JAVA MC40

3 Voies | Ways
Medium-Tweeter coaxial
BC10
Grave | Woofer 2 x
17MD18LB1
Duocell
59 - 23 000 Hz
90dB | 110 W

110 x 25 x 35 cm
24 kg



JERSEY MC170

3 Voies | Ways
Medium + Tweeter coaxial
10T15MC
Grave | Woofer 2 x 17 cm
17TN20
57 - 20 000 Hz
90 dB | 100 W

99 x 21 x 30 cm
15 kg



SATELLITES



BALTIC 5
SUR PIED
FLOORSTANDING

3 Voies | Ways
1 x coaxial TCA
75 - 25,000 Hz
91 dB
250 W / 1210 W
128 x 40 x 42,4 cm
19 kg



RIGA 2
SUR PIED
FLOORSTANDING

2 Voies | Ways
1 x coaxial BC17
95 - 20 000 Hz
90 dB
150 W / 1000 W
123 x 34 x 39 cm
10,4 kg



IO3
SUR PIED
FLOOR STANDING

2 Voies | Ways
13 cm Duocell,
150 - 22 000 Hz
903 dB
80 W / 580 W
112 x 33 x 33 cm
6 kg



BALTIC 5
SUR SOCLE
ON BASE

27,8 x 27,3 x 27,3 cm
8 kg



RIGA 2
SUR SOCLE
ON BASE

22,4 x 22 x 21 cm
5,5 kg



IO3
SUR SOCLE
ON BASE

20,6 x 16 x 18,8 cm
1,8 Kg



CAISSONS DE BASSE | SUBWOOFERS



SANTORIN 30-500
1 Voie | Way
1 x 30 cm 30ND40
22 - 200 Hz
115 dB
500 W / 1000 W
43 x 38 x 47 cm
28 kg



SANTORIN 30-200
1 Voie | Way
1 x 30 cm 30ND40
24 - 200 Hz
112 dB
200 W / 400 W
43 x 38 x 47 cm
25 kg



SANTORIN 25
1 Voie | Way
25cm 25S20
26 - 160 Hz
111 dB RMS
200 W / 400 W
42 x 36x 38 cm
17 kg



SANTORIN 21
1 Voie | Way
21 cm 21MT3
28 - 174 Hz
108 dB
200 W / 400 W
33x 33x 35 cm
9,3 kg



LIPARI 21
1 Voie | Way
21 cm
33 - 160 Hz
200 W / 400 W
39 x 39x 15 cm
9 kg



ORION
1 Voie | Way
21 cm 21MT
28 - 174 Hz
108 dB
200 W / 400 W
41,5 x 30,5 x 43 cm
16,5 kg



CLASSIC CONNECTED



RIALTO



121 dB stereo
30 - 27 000 Hz
13 cm coaxial BCI
Woofer 17 cm HELD
Aigu | Treble : 300 W RMS / 600 W crête | peak
Medium | Midrange : 300 W RMS / 600 W crête | peak
Grave | Low : 450 W RMS / 900 W crête | peak

260 x 206 x 239 mm | 15.2 kg m chacun | each



AMP 240 S



CLASS D STEREO AMP

2 x 215 W RMS / 4 ohms
2 x 120 W RMS / 8 ohms
Total Harmonic Distortion + Noise
:0,005% (1W, 4 Ohm)
Prise casque | Helmet output

97 x 245 x 238 mm | 3.5 kg



SYSTÈMES SANS FIL | WIRELESS SYSTEMS



THE PEARL SUB
BALTIC 5



THE PEARL SUB
RIGA 2



THE PEARL SUB
IO3



THE PEARL SUB
MURANO



THE PEARL SUB
MINORCA



FORMATS MP3 - WAV - AAC - WMA - AIFF - FLAC
CALIBRATION AUTOMATIQUE | AUTOMATIC CALIBRATION

THE PEARL COLLECTION



THE PEARL PELEGRINA

4 VOIES | 4 WAYS

134 dB stereo | 10 - 27 000 Hz

Medium-tweeter | Midrange-tweeter TCA

Woofer 30 cm HELD

Aigu | Treble : 300 W RMS / 520 W crête | peak

Medium | Midrange : 300 W RMS / 520 W crête | peak

Bas-medium | Low Midrange : 1250 W RMS / 2500 W crête | peak

Grave | Low : 1850 W RMS / 3700 W crête | peak

480 x 480 x 1284 mm | 45 kg



THE PEARL

3 VOIES | 3 WAYS

118 dB mono | 124 dB stereo | 14 - 27 000 Hz

Medium-tweeter | Midrange-tweeter 13 cm coaxial BCI

Woofer 25 cm HELD

Aigu | Treble : 300 W RMS / 600 W crête | peak

Medium | Midrange : 300 W RMS / 600 W crête | peak

Grave | Low : 1000 W RMS / 2000 W crête | peak

326 x 327 x 323 mm | 18 kg



THE PEARL AKOYA

3 VOIES | 3 WAYS

115 dB mono | 121 dB stereo

30 - 27 000 Hz

Medium-tweeter | Midrange-tweeter 13 cm coaxial BCI

Woofer 17 cm HELD

Aigu | Treble : 300 W RMS / 600 W crête | peak

Medium | Midrange : 300 W RMS / 600 W crête | peak

Grave | Low : 450 W RMS / 900 W crête | peak

220 x 220 x 220 mm | 8 kg



Sac de transport inclus
Transport bag included



Pieds en option
Floorstands available



THE PEARL MYUKI

Mono 99 dB RMS / 103 dB crête | peak

Stereo 109 dB crête | peak

30 - 23 000 Hz

Medium-tweeter | Midrange-tweeter Dôme 45 mm

Woofer 2 x 12 cm

Medium Aigu | Midrange Treble : 46 W RMS / 65 W crête | peak

Grave | Low : 2 x 27 W RMS / 2 x 38 W crête | peak

186 x 174 x 180 mm | 1.8 kg



Sac de transport inclus
Transport bag included

Support mural disponible
Wall mount available

2.1 SYSTEMS

THE PEARL KESHI

115 dB stereo (en crête) | 30 - 23 000 Hz

Medium-tweeter : Dom55

Woofer 17 cm HELD

Canaux : 300 W RMS / 600 W crête

Grave : 450 W RMS / 900 W crête

Subwoofer : 237 x 220 x 266 mm | 6 kg

Satellites : 101 x 80 x 80 mm | 550 g



THE PEARL SUB

100 dB / 112 stereo (en crête)

14 - 180 Hz

Woofer 1 x 25 cm HELD

Canaux : 300 W RMS / 600 W crête

Grave : 1000 W RMS / 2000 W crête

338 x 320 x 368 mm | 20 kg



ALAC - OGG - VORBIS - DSD 64/128 - WMA LOSSLESS
MULTIROOM HAUTE-RÉSOLUTION | HIGH-RESOLUTION MULTI-ROOM

THE PEARL THEATER



1 Sub: 110 dB SPL
 2 Sub : 116 dB SPL
 Sub: 28Hz 220Hz
 Sat: 180Hz / 24Khz
 3 X 100W sous 4 Ohms
 Ampli sans fils | Surround Amplifier
 50W sous 4 Ohms

Subwoofer : 338 x 320 x 368 mm
 Satellites : 101 x 80 x 80 mm
 45 kg



HOME CINEMA 5.1



PACK 5.1 EOLE 4

LIPARI 21
 5xEOLE4



PACK 5.1 ALCYONE 3

SANTORIN 17M2
 5xALCYONE




SYSTÈME 5.1 MC40

2xMINORCA MC40
 2xJAVA MC40
 CABRERA
 SANTORIN 25



SYSTÈME 5.1 MC170

2xJERSEY MC170
 2xANTIGUA MC170
 SOCOA MC170
 ORION



INTEGRATION | CUSTOM INSTALLATION

MURS | ON-WALL



BALTIC 5 MURALE

3 voies
75 - 25 000 Hz
91 dB | 250 W



RIGA 2 MURALE

2 voies
95 - 20 000 Hz
95 dB | 150 W



iO3 MURALE

2 voies
150 - 22 000 Hz
93 dB | 580 W



ALCYONE 3

1 voie
160 - 20 000 Hz
87 dB | 50 W



EOLE 4 MURALE

2 voies
150 - 22 000 Hz
90 dB | 70 W



ZEF17 - ZEF 17TR

2 voies
70 - 22 000 Hz
86 dB | 60 W



ZEF17 - ZEF 17TR

2 voies
67 - 22 000 Hz
89 dB | 90 W

PLAFOND | IN CEILING



iO3 PLAFOND

1 voie
150 - 22 000 Hz
93 dB | 80 W



EOLE 4 PLAFOND

2 voies
150 - 22 000 Hz
90 dB | 70 W



ALYCON 2 PLAFOND

1 voie
160 - 20 000 Hz
87 dB | 50 W



ARCHIPEL 13
ICD

2 voies
73 Hz - 22 000 Hz



ARCHIPEL 13
ICP TR

2 voies
65 Hz - 21 500 Hz



ARCHIPEL 13
ICP TR

2 voies
80 - 21 500 Hz
84,5 dB | 100 W



ARCHIPEL 17
ICD

2 voies
58 Hz - 22 000 Hz



ARCHIPEL 17
ICP

2 voies
48 - 21 500 Hz
87,5 dB | 35 W



ARCHIPEL 17
ICPS

2 x 2 voies
40 Hz - 19 000 Hz

A ENCASTRER | IN-WALL



MINORCA IW

2 voies
53 - 22 400 Hz
88 dB | 40 W



ANTIGUA IW

3 voies
57 - 22 400 Hz
89,5 dB | 40 W

Cabasse



Since 1950



www.cabasse.com